

Operations Services Inc. 10850 East Traverse Highway Traverse City, MI 49684 989.217.3175 www.operationsservices.com

Monthly Client Report for Higgins Lake Utilities Authority July 2020

To provide the Higgins Lake Utilities Authority with a summary of our activities for the month, Operations Services has prepared this report for your use. We welcome any suggestions to improve the information contained in these reports. Please contact us if you believe this report contains errors, or if you have any questions about it.

The Authority maintained compliance with all regulated parameters for the previous month.

FLOW AND UTILITY STATISTICS

| Parameters | 2019 | 2020 | Difference | |
|------------------------|---------|---------|------------|--|
| 1st-7th Flow | 229,700 | 238,700 | +9,000 | |
| 8th-14th Flow | 140,400 | 151,600 | +11,200 | |
| 15th-21st Flow | 128,600 | 128,300 | -300 | |
| 22nd-29th Flow | 201,100 | 212,800 | +11,700 | |
| Minimum Weekly Flow | 128,600 | 128,300 | -300 | |
| Maximum Weekly Flow | 229,700 | 238,700 | +9,000 | |
| Monthly Influent Total | 699,800 | 731,411 | +31,600 | |

2020 IRRIGATION PERFORMANCE

| Parameters | Influent | Effluent | Difference |
|--------------------------|-----------|-----------|------------|
| 2019 Year to Date Totals | 3,073,900 | 1,759,354 | +1,314,546 |
| 2020 Year to Date Totals | 2,725,011 | 1,342,987 | +1,382,024 |
| July Totals | 731,411 | 363,404 | +368,007 |

MONITOR WELL STATUS

The next Monitor well samples will be taken in August.

MONTHLY E-ONE ACTIVITY SUMMARY

- Operations Services received 14 E-One service requests during July.
- There were 6 Miss Dig utility location requests during the month.

STRATEGIC PLANNING

• The fields have been cut and the farmer plans to fertilize and disc up field one.

MAINTENANCE

- Weekly lagoon inspections completed.
- The new aerator motor is on order.
- Field sprinklers were serviced during June.
- Super Z lawn mower has a small leak in both back tires, I am going to try and plug the leak before buying new ones.

Cummins Backup Generator

Monthly and weekly inspection and maintenance completed.

CONSIDERATIONS

- The eight new pumps have been installed. However there have been 5 catastrophic failures during the July callouts.
- The aerators will need to be rebuilt this winter.

OTHER NOTEWORTHY EVENTS OR ACTIVITIES

- Fence repairs are ongoing. Whole tree and limb removal this month.
- The facility is discharging at this time.

If you have any questions regarding this report, please feel free to contact Operations Services at 989.217.3175

Wade Trim Operations Services, Inc.

Theron Scharffe

Operator / 231-622-3362

Project Reference # HLU753418Y